

SEQUENCE LISTING

<110> Alajem, Sara et al.

<120> OLIGONUCLEOTIDES AND ASSEMBLIES THEREOF USEFUL IN THE DETECTION OF THE PRESENCE
OR ABSENCE OF TARGET NUCLEIC ACID SEQUENCES

<130> 00/21340

<150> 09/449,545
<151> 1999-11-29

<160> 47

<170> PatentIn version 3.0

<210> 1
<211> 263
<212> DNA
<213> Human cytomegalovirus (strain AD169);<400> 1
agaccttcat gcagatctcc tcaatgcggc gcttcattac actgataacc tcaggcttgg 60
ttatcgagg ccgcttgcc agcatcacac tagtctctc taagacatag cagcacagca 120
cccgacagaa ctcacttaag agagagatgc ccccgatcat ggtcatcata caagcgtcac 180
tagtgacctt gtactcatta cacatgttt ccacacatgt agtgaggata tccataaaa 240
tgtgatcaat gtgcgtgagc acc 263<210> 2
<211> 20
<212> DNA
<213> Artificial sequence;<220>
<221> misc_feature
<223> primer<400> 2
agaccttcat gcagatctcc 20<210> 3
<211> 20
<212> DNA
<213> Artificial sequence;<220>
<221> misc_feature
<223> primer<400> 3
ggtgctcacf cacattgtac 20<210> 4
<211> 263
<212> DNA
<213> Human cytomegalovirus (strain AD169);<220>
<221> misc_feature
<223> antisense;<400> 4
ggtgctcacf cacattgtac acatattttt ggatatcctc actacatgtg tggaaacaat 60
gtgtaatgag tacaaggtaa ctatgtacgc ttgttatgtg accatgtacg ggggcatttc 120
tctcttaagt gagttctgtc ggggtctgtc ctgttatgtc ttagaggaga ctatgtat 180
gctggccaag cggcctctga taaccaagcc tgaggttatac agtgtatga agcgccat 240
tgaggagatc tgcattaaagg tct 263<210> 5
<211> 50
<212> DNA
<213> Human cytomegalovirus (strain AD169);

<400> 5

tcaggcttgg ttatcagagg ccgttggcc agcatcacac tagtctcctc	50
<210> 6	
<211> 35	
<212> DNA	
<213> Human cytomegalovirus (strain AD169);	
<400> 6	
ggccagcatc acactagtct cctctaagac atagc	35
<210> 7	
<211> 59	
<212> DNA	
<213> Human cytomegalovirus (strain AD169);	
<400> 7	
ggccagcatc acactagtct cctctaagac atagcagcac agcacccgac agaactcac	59
<210> 8	
<211> 36	
<212> DNA	
<213> Artificial sequence;	
<220>	
<221> misc_feature	
<223> synthetic oligonucleotide;	
<220>	
<221> misc_feature	
<222> (1)..(1)	
<223> Biotinylated at 5'-end	
<400> 8	
cagcatcaca ctagtctcct ctaagacata gcagca	36
<210> 9	
<211> 36	
<212> DNA	
<213> Artificial sequence;	
<220>	
<221> misc_feature	
<223> synthetic oligonucleotide	
<400> 9	
tgctgctatg tcttagagga gactagtgtg atgctg	36
<210> 10	
<211> 36	
<212> DNA	
<213> Artificial sequence;	
<220>	
<221> misc_feature	
<223> hybridized oligonucleotides	
<220>	
<221> misc_feature	
<222> (1)..(1)	
<223> Biotinylated at 5'-end of sense	
<400> 10	
cagcatcaca ctagtctcct ctaagacata gcagca	36
<210> 11	
<211> 37	
<212> DNA	
<213> Artificial sequence;	

```

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 11
tggttatcg aggccgctta aaattcgaag ggttcac 37

<210> 12
<211> 37
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

<400> 12
gtgaaccctt cgaattcaca gcatcacact agtctcc 37

<210> 13
<211> 32
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 13
tggttatcg aggccgctta aaattcgaag gg 32

<210> 14
<211> 32
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

<400> 14
ccttcgaat tcacagcatc acactagtct cc 32

<210> 15
<211> 36
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 15
ggcttggta tcagaggccg cttaaaattc gaaggg 36

```

```

<210> 16
<211> 37
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

```

```

<400> 16
ccttcgaat tcacagcatc acactagtct cctctaa

```

37

```

<210> 17
<211> 39
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

```

```

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

```

```

<400> 17
tggttatcg aggccgccta aaattcgaag ggttcacga

```

39

```

<210> 18
<211> 39
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

```

```

<400> 18
tcgtgaaccc ttcaattca cagcatcaca cttagtctcc

```

39

```

<210> 19
<211> 43
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

```

```

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

```

```

<400> 19
cagcatcaca cttagtctcca gctagttcga cgccgcacgc gtc

```

43

```

<210> 20
<211> 53
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

```

```

<400> 20

```

gaactagcta ctctaaagaca tagcagcaca gcacccgaca gaactcaatt aag

53

```
<210> 21
<211> 24
<212> DNA
<213> Artificial sequence;
<220>
<221> misc_feature
<223> synthetic oligonucleotide;
```

```
<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end
```

```
<220>
<221> modified_base
<222> (20)..(20)
<223> m6a
```

<400> 21
gtacgggggc ataaattcga acgc

24

```
<210> 22
<211> 24
<212> DNA
<213> Artificial sequence;
<220>
<221> misc_feature
<223> synthetic oligonucleotide;
```

```
<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end
```

<400> 22
gtacgggggc ataaattcga acgc

24

```
<210> 23
<211> 38
<212> DNA
<213> Artificial sequence;
<220>
<221> misc_feature
<223> synthetic oligonucleotide;
```

```
<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end
```

<400> 23
tttttttttgcgttcgaatt tctctctctt aagttagt

38

```
<210> 24
<211> 52
<212> DNA
<213> Artificial sequence;
<220>
<221> misc_feature
<223> synthetic oligonucleotide;
```

```
<220>
<221> misc_feature
```

<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 24
tcactagtga cgcttgtatg atgaccatgt acggggcat aaattcgaac gc 52

<210> 25
<211> 52
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<220>
<221> modified_base
<222> (48)..(48)
<223> m6a

<400> 25
tcactagtga cgcttgtatg atgaccatgt acggggcat aaattcgaac gc 52

<210> 26
<211> 64
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 26
ttatcagagg ccgcttgaaa attcgaattt accaagaatt cgaattcaca gcatcacact 60

agtc 64

<210> 27
<211> 65
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 27
gttatcagag gccacttgaa aattcgaatt gaccaagaat tcgaattcac agcatcacac 60
tagtc 65

<210> 28
<211> 83
<212> DNA
<213> Artificial sequence;

```

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 28
tggttatcag aggccgcttg ttataatcga ataaatggag gaagattaat tcgaatataa      60
gccagcatca cactagtctc ctc                         83

<210> 29
<211> 89
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 29
tggttatcag aggccgcttg ttatattcga ataaatgacc gaggaggaag attaattcga      60
atataagcca gcatcacact agtctcctc                         89

<210> 30
<211> 77
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 30
cagcatcaca cttagtctcta ctcgagcaaa aaaaaaaaaa aaaaaaaaaac actcgagcgc      60
tctaagacat agcagca                         77

<210> 31
<211> 68
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 31
cagcatcaca cttagtctcta cacacacatc gagcattcga cacacacacy ctctaagaca      60
tagcagca                         68

<210> 32

```

```

<211> 77
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 32
cagcatcaca ctagtctcta cactcgagca cacaaaaaaaaaaa aaaaacacac tcgagcacgc      60
tctaagacat agcagca                                77

<210> 33
<211> 77
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 33
cagcatcaca ctagtctcta ctcgagcaca cacaaaaaaaaaaa aaaaacacac actcgagcgc      60
tctaagacat agcagca                                77

<210> 34
<211> 87
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 34
cagcatcaca ctagtctcta cacacacctga gcaaaaaaaaaaaa aaaaaaaaaaaa aaaacactcg      60
agacacacgc tctaagacat agcagca                                87

<210> 35
<211> 81
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 35
cagcatcaca ctagtctcta cactcgagca cacaaaaaaaaaaa aaaaaaaaaaac acactcgagc      60
acgctctaag acatagcagc a                                81

```

```

<210> 36
<211> 54
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 36
gccagcatca cactacccccc tcgaggattc gaaaaaacct ctaagacata gcag      54

<210> 37
<211> 58
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 37
cagcatcaca ctagtcactc gaggagaccc gtgtcgacc tcctctaaga catagcag      58

<210> 38
<211> 60
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 38
gaactcactt aagagagaga tgccccgtt catggtcattt atacaagcgtt cactagtgttt      60

<210> 39
<211> 44
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 39
cagcatcaca ctagtctcaa ttcgaaagcggtt atgaccatgtt acgg      44

```

```

<210> 40
<211> 47
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

<220>
<221> misc_feature
<222> (1)...(1)
<223> Biotinylated at 5'-end

<400> 40
cactagtgac gcttgtatcg cttcgaattc tctaagacat agcagca          47

<210> 41
<211> 50
<212> DNA
<213> Human cytomegalovirus (strain AD169);

<400> 41
tcaggcttgg ttatcagagg ccgccttgcc agcatcacac tagtctcctc          50

<210> 42
<211> 59
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

<400> 42
atgtgtggaa acaatgtgta atgagtacaa ggtcactagt gacgcttgtatgaccca      59

<210> 43
<211> 41
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

<400> 43
cgaatttgac cttgtactca ttacacattt tttccacaca t                  41

<210> 44
<211> 28
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

<400> 44
cgaatttgac cttgtactca ttacacat                          28

<210> 45
<211> 47
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

```

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 45
tggtcatcat acaagcgtca ctagaattcg aacggtttt ttccgtt

47

<210> 46
<211> 43
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 46
catataacaa gcgtcaactag aattcgaacg gttttttcc gtt

43

<210> 47
<211> 39
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 47
ataacaagcgt cactagaatt cgaacggttt tttccgtt

39

<210> 48
<211> 59
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

<400> 48
atgtgtggaa acaatgtgta atgagtaaaa ggtcagtagt gacgcttgta tgatgacca

59

<210> 49
<211> 27
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 49
tttcatcata aaagcgtcac tagaatt